



ADDENDUM NO. 4

DATE: July 9, 2024

IFB: # 4210-24-LMIG PUBLIC WORKS RESURFACING PROJECTS

Invitation for Bid (IFB) # 4210-24-LMIG PUBLIC WORKS RESURFACING PROJECTS is hereby amended as follows:

1. Modifications to bid:

FDR lines updated in TOTALS section of bid tab.

2. It is the responsibility of each bidder to be aware of all addenda under this IFB. Please sign and return this addendum with submitted bid. You may call Audrey Gatliff, Purchasing Agent, at 478-445-4791 before bids are due to confirm the number of addenda issued.

The above Addendum is hereby acknowledged:

(NAME OF BIDDER)

(Signature)

(Title)

BID TABULATION SHEETS FOR VARIOUS ROAD RESURFACING PROJECTS IN BALDWIN COUNTY GEORGIA 2024

Stewart Avenue (FROM Sinclair Marina Road TO Sinclair Marina Road): Length 3274 ft, Width 18 ft (6,548 sy)

| TREATMENT: | ITEM #: | QUANTITY: | UNITS: | NOTES: |
|------------|----------|-----------|---------|----------------------------------------------------------|
| Overlay | 402-3100 | 721 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Striping | 652-2501 | 1.24 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 0.62 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 20 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |

Additional Comments:

Admiralty Way (FROM SR 441 TO Cul-De-Sac): Length 7,050 ft, Width 22 ft (17,234 sy)

| TREATMENT: | ITEM #: | QUANTITY: | UNITS: | NOTES: |
|------------|----------|-----------|---------|----------------------------------------------------------|
| Overlay | 402-3100 | 1896 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Striping | 652-2501 | 2.66 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 2.66 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |

Additional Comments:

Pineaway Drive (FROM Irwinton Road TO Cul-De-Sac): Length 8,448 ft, Width 20 ft (18,773 sy)

| TREATMENT: | ITEM #: | QUANTITY: | UNITS: | NOTES: |
|-----------------|----------|-----------|---------|-----------------------------------------------------------|
| Overlay | 402-3100 | 903 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Patching | 402-1802 | 300 | TONS | 19mm Recycled asphalt incl bitum matl and H lime 4" Depth |
| Bitum Tack Coat | 413-1000 | 751 | GAL | 0.04 Gal/SY |
| Striping | 652-2501 | 3.2 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 3.2 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 50 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |

Additional Comments: **The total length includes Lakeland Ave, Hickory Hill Road, Fairfiled Ave. and Pineway Dr.**

Roberts Road (FROM SR 22 TO Browns Crossing Road): Length 13,359 ft, Width 20 ft (29,687 sy)

| TREATMENT: | ITEM #: | QUANTITY: | UNITS: | NOTES: |
|--------------------------|----------|-----------|---------|----------------------------------------------------------|
| Triple Surface Treatment | 424-6089 | 29687 | SY | Stone size 5, 7 and 89, GP 1 or 2 with sand seal |
| Leveling | 402-1812 | 1113 | TONS | 9.5 mm recycled asphalt superpave @ 75 lbs/sy |
| Striping | 652-2501 | 5.06 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 2.53 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 20 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |

Additional Comments:

Chase Court (FROM Garrett Way TO Cul-De-Sac): Length 634 ft, Width 26 ft (1,832sy)

| TREATMENT: | ITEM #: | QUANTITY: | UNITS: | NOTES: |
|------------|----------|-----------|---------|----------------------------------------------------------|
| Overlay | 402-3100 | 202 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Striping | 652-2501 | 0.24 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 0.12 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |

Additional Comments:

Mosely Ave (FROM Stewart Ave TO Dead End): Length 476 ft, Width 12 ft (635 sy)

| TREATMENT: | ITEM #: | QUANTITY: | UNITS: | NOTES: |
|------------|---------|-----------|--------|--------|
|------------|---------|-----------|--------|--------|

| | | | | |
|---------|----------|----|------|-------------------------------------------------|
| Overlay | 402-3100 | 70 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
|---------|----------|----|------|-------------------------------------------------|

Additional Comments:

Log Cabin Road (FROM SR 441 TO 4-Way Stop @ Nth Jefferson Street): Length 17,952 ft, Width 24 ft (47,872sy)

| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
|-------------------------|----------|------------|---------|-----------------------------------------------------------|
| Overlay | 402-3100 | 5266 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Patching | 402-1802 | 300 | TONS | 19mm Recycled asphalt incl bitum matl and H lime 4" Depth |
| Bitum Tack Coat | 413-1000 | 1915 | GAL | 0.04 Gal/SY |
| Raised Pavement Markers | 654-1001 | 436 | EA | Type 1 (Glued) RPM's every 75 feet |
| Striping | 652-2501 | 6.8 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 6.8 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 24 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |
| Striping | 653-0120 | 26 | Each | Thermoplastic Type 2 Turn Arrow |

Additional Comments: Paving to start/end at the GDOT right-of-way of US 441 and therefore will not include repair/replacent of the traffic signal loops at the intersection. All turn lanes to be repaved.

Forrest Hill Road (FROM SR 49 TO Cul-De-Sac): Length 5000 ft, Width 21 ft (11,667sy)

| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
|------------------------|----------|------------|---------|----------------------------------------------------------|
| Overlay | 402-3100 | 1283 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Full Depth Reclamation | 301-5000 | 11667 | SQ YDS | Entire length of road. See attached mix design. |
| Bitum Tack Coat | 413-1000 | 467 | GAL | 0.04 Gal/SY |
| Striping | 652-2501 | 1.9 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 1.9 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |

Additional Comments:

Highview Road (FROM Pebble Hill Road TO Cul-De-Sac): Length 5,597 ft, Width 22 ft (13,681sy)

| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
|------------------------|----------|------------|---------|----------------------------------------------------------|
| Overlay | 402-3100 | 1504 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Full Depth Reclamation | 301-5000 | 13681 | SQ YDS | Entire length of road. See attached mix design. |
| Bitum Tack Coat | 413-1000 | 547 | GAL | 0.04 Gal/SY |
| Striping | 652-2501 | 2.12 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 2.12 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |

Additional Comments:

Nth/Sth Main Street (FROM Effingham Road TO 5th Street): Length 7075 ft, Width 22 ft (17,295sy)

| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
|-----------------|----------|------------|---------|-----------------------------------------------------------|
| Overlay | 402-3100 | 1903 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Patching | 402-1802 | 400 | TONS | 19mm Recycled asphalt incl bitum matl and H lime 4" Depth |
| Bitum Tack Coat | 413-1000 | 692 | GAL | 0.04 Gal/SY |
| Striping | 652-2501 | 2.68 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 2.68 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 20 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |
| Manhole | 611-8050 | 5 | EA | Adjust Manhole Frame to Grade |
| Water Valve | 611-8140 | 9 | EA | Adjust Valve Box to Grade |

Additional Comments:

| Hardwick Street (FROM Irwinton Road TO Linden Court): Length 1,450 ft, Width 24 ft (3,867 sy) | | | | |
|------------------------------------------------------------------------------------------------------|----------|------------|---------|-----------------------------------------------------------|
| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
| Overlay | 402-3100 | 425 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Patching | 402-1802 | 100 | TONS | 19mm Recycled asphalt incl bitum matl and H lime 4" Depth |
| Bitum Tack Coat | 413-1000 | 155 | GAL | 0.04 Gal/SY |
| Striping | 652-2501 | 0.54 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 0.54 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |
| Additional Comments: | | | | |

| Ellis Street (FROM Irby Street TO Dead End): Length 1,375 ft, Width 20 ft (3,056 sy) | | | | |
|---------------------------------------------------------------------------------------------|----------|------------|---------|-----------------------------------------------------------|
| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
| Overlay | 402-3100 | 336 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Patching | 402-1802 | 100 | TONS | 19mm Recycled asphalt incl bitum matl and H lime 4" Depth |
| Bitum Tack Coat | 413-1000 | 123 | GAL | 0.04 Gal/SY |
| Striping | 652-2501 | 0.52 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 0.52 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |
| Additional Comments: | | | | |

| Wright Street (FROM Thomas Street TO Linden Court): Length 1,275 ft, Width 18 ft (2,550 sy) | | | | |
|----------------------------------------------------------------------------------------------------|----------|------------|---------|-----------------------------------------------------------|
| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
| Overlay | 402-3100 | 281 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Patching | 402-1802 | 100 | TONS | 19mm Recycled asphalt incl bitum matl and H lime 4" Depth |
| Bitum Tack Coat | 413-1000 | 102 | GAL | 0.04 Gal/SY |
| Striping | 652-2502 | 0.24 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |
| Additional Comments: | | | | |

| Park Avenue (FROM Thomas Street TO Swint Avenue): Length 2,746 ft, Width 20 ft (6,103 sy) | | | | |
|--------------------------------------------------------------------------------------------------|----------|------------|---------|-----------------------------------------------------------|
| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
| Overlay | 402-3100 | 672 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Patching | 402-1802 | 200 | TONS | 19mm Recycled asphalt incl bitum matl and H lime 4" Depth |
| Bitum Tack Coat | 413-1000 | 245 | GAL | 0.04 Gal/SY |
| Striping | 652-2501 | 1.04 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 1.04 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |
| Additional Comments: | | | | |

| Thomas Street (FROM Wolverine Street TO Hardwick Street): Length 1,215 ft, Width 18 ft (2,430 sy) | | | | |
|----------------------------------------------------------------------------------------------------------|----------|------------|---------|-----------------------------------------------------------|
| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
| Overlay | 402-3100 | 268 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Patching | 402-1802 | 100 | TONS | 19mm Recycled asphalt incl bitum matl and H lime 4" Depth |
| Bitum Tack Coat | 413-1000 | 98 | GAL | 0.04 Gal/SY |
| Striping | 652-2502 | 0.23 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |
| Additional Comments: | | | | |

Stephanie Lane (FROM Cul-De-Sac TO Cul-De-Sac): Length 2,060 ft, Width 20 ft (4,578 sy)

| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
|-----------------|----------|------------|---------|-----------------------------------------------------------|
| Overlay | 402-3100 | 504 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Patching | 402-1802 | 200 | TONS | 19mm Recycled asphalt incl bitum matl and H lime 4" Depth |
| Bitum Tack Coat | 413-1000 | 183 | GAL | 0.04 Gal/SY |
| Striping | 652-2501 | 0.78 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 0.78 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |

Additional Comments:

Knight Circle (FROM Knight Drive TO Taylor Drive): Length 1,585 ft, Width 16 ft (2,818 sy)

| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
|------------|----------|------------|---------|----------------------------------------------------------|
| Overlay | 402-3100 | 310 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Striping | 652-2502 | 0.78 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 20 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |

Additional Comments: Base work by county.

Emmanuel Harris Road (FROM Nth Jefferson Street TO Dead End): Length 2,415 ft, Width 18 ft (4,830 sy)

| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
|------------|----------|------------|---------|----------------------------------------------------------|
| Overlay | 402-3100 | 532 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Striping | 652-2502 | 0.78 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |

Additional Comments: Base work by Roberts.

Grace Court (FROM Short Cut Road TO Cul-De-Sca): Length 1020 ft, Width 20 ft (2,267 sy)

| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
|------------|----------|------------|---------|----------------------------------------------------------|
| Overlay | 402-3100 | 250 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Striping | 652-2501 | 0.38 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 0.19 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |

Additional Comments: Base work by county.

West Lakeview Lane (FROM West Lakeview Drive TO Cul-De-Sca): Length 900 ft, Width 20 ft (2,000 sy)

| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: |
|------------|----------|------------|---------|----------------------------------------------------------|
| Overlay | 402-3100 | 220 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy |
| Striping | 652-2501 | 0.34 | L. MILE | Solid Traffic Edge Stripe, 5 in White |
| Striping | 652-2502 | 0.17 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow |
| Striping | 653-1704 | 10 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White |

Additional Comments: Base work by county.

| Totals: | | | | UNIT PRICE: | LINE ITEM TOTAL: |
|----------------|----------|------------|--------|-------------------------------------------------|------------------|
| TREATMENT: | ITEM #: | QUANTITIY: | UNITS: | NOTES: | |
| Overlay | 402-3100 | 17546 | TONS | 12.5 mm recycled asphalt superpave @ 220 lbs/sy | |

| | | | | | | |
|--------------------------|----------|-------|---------|-----------------------------------------------------------|--------------|--|
| Patching | 402-1802 | 1800 | TONS | 19mm Recycled asphalt incl bitum matl and H lime 4" Depth | | |
| Bitum Tack Coat | 413-1000 | 5278 | GAL | 0.04 Gal/SY | | |
| Raised Pavement Markers | 654-1001 | 436 | EA | Type 1 (Glued) RPM's every 75 feet | | |
| Striping | 652-2501 | 29.5 | L. MILE | Solid Traffic Edge Stripe, 5 in White | | |
| Striping | 652-2502 | 27.9 | L. MILE | Solid Traffic CL Stripe, 5 in Yellow | | |
| Striping | 653-1704 | 274 | L. FOOT | Thermoplastic Solid Traffic Stripe Stop Bar, 24 in White | | |
| Leveling | 402-1812 | 1113 | TONS | 9.5 mm recycled asphalt superpave @ 75 lbs/sy | | |
| Triple Surface Treatment | 424-6089 | 29687 | SY | Stone size 5, 7 and 89, GP 1 or 2 with sand seal | | |
| Manhole | 611-8050 | 5 | EA | Adjust Manhole Frame to Grade | | |
| Water Valve | 611-8140 | 9 | EA | Adjust Valve Box to Grade | | |
| Full Depth Reclamation | 301-5000 | 11667 | SQ YDS | Entire length of road 6" depth at 40 psy spread rate. | | |
| Full Depth Reclamation | 301-5000 | 13681 | SQ YDS | Entire length of road 6" depth at 40 psy spread rate. | | |
| | | | | | Total | |